

ONVIF Profile Feature Overview v2.0

This table contains a summary of the features of the currently released ONVIF Profiles, for more details or in case of lack of clarity please refer to the Profile Specifications.

- [ONVIF Profile T Specification – Release Candidate v1.0](#) [June 2017]
- [ONVIF Profile A Specification](#) [June 2017]
- [ONVIF Profile Q Specification](#) [July 2016]
- [ONVIF Profile G specification](#) [June 2014]
- [ONVIF Profile C Specification](#) [December 2013]
- [ONVIF Profile S Specification](#) [December 2011 /March 2016 v1.1.1]

Function Lists use the following abbreviations:

- M: Mandatory
- C: Conditional
- O: Optional

Features		Profiles											
		G		Q		S		T		C		A	
		Device	Client	Device	Client	Device	Client	Device	Client	Device	Client	Device	Client
General													
System Settings		M	C	M	C	M	C	M	C	M	C	M	C
User Authentication	WS-Username Token					M	M						
	Digest Authentication	M	M	M	M	O	M	M	M	M	M	M	M
User Handling		M	C	M	M	M	C	M	C	M	C	M	M
Query Services and Capabilities		M	M	M	M	M	M	M	M	M	M	M	M
Device Discovery		M	C	M	M	M	C	M	M	M	C	M	M
Default Access Policy				M									
Network Configuration		M	C	M	C	M	C	M	M	M	M	M	C
Zero configuration				C	C	C	C						
Firmware Upgrade				C	C								
Backup and Restore				C	C								
TLS Configuration				C	C								
IP Address Filtering						C	C					C	C
NTP						C	C	C	C			M	C
Automatic IP Assignment				C	C								
Media Profile Configuration						M	C	M	C				
Media Transport	RTP/UDP					M	M ¹	M	M ¹				
	RTP/RTSP/HTTP/TCP					M		M					
	RTP/RTSP/HTTPS/TCP							C	C				
	RTP/RTSP/TCP/WebSocket							C	O				
	RTP/UDP Multicast					C	C	M	C				
Video													
Video Streaming	MJPEG					M	M						
	MPEG4					C	C						
	H.264					C	C	M ²	M				
	H.265								M				
Video Encoder Configuration					M	M	M	M					
Video Source Configuration					M	C	M	C					

¹ Client must support at least one of UDP and HTTP

² Device must support at least one of H.264 and H.265

Features		G		Q		S		T		C		A	
		Device	Client	Device	Client	Device	Client	Device	Client	Device	Client	Device	Client
Video													
Video Source Mode								C	C				
Video Streaming	RTSP/RTP					M	M	M	M				
Imaging Settings								M	M				
Zero configuration				C	C	C	C						
Recording Search		M	M										
Replay Control		M	M										
Recording Control		M	C										
Recording Control	Using an on-board media source	C	C										
	Using a Receiver as Source	C	C										
Recording Control - Dynamic Recording	Recording	C	C										
Recording Control – Dynamic Tracks	Tracks	C	C										
Recording Source Configuration		M	C										
Events													
Event Handling	Pull-point	M	C	M	M	M	M	M	M	M	M	M	M
	Base-notification					M	M						
Standard Monitoring Events for Devices				M	C								
Media Profile for Streaming Ready out-of-the-box						M	C	M	M				
Media Profile Configuration Events								M	C				
Access Control Events	Door									M	M		
External Authorization Events										C	C		
Duress Events										C	C		
Access Profile Event	Changes on Profile											M	M
Credential Event	Changes on Credential											M	M
Schedule Event	Changes on schedule											M	M
Special Days Schedule Event												C	C
Reset Antipassback Violation Event												C	C
Stored Events	Seek									C	C	C	C
Motion Alarm Events								M	M				
Motion Region Detector Events								C	C				
Tampering Event								M	M				

Features		G		Q		S		T		C		A	
		Release Candidate											
		Device	Client	Device	Client	Device	Client	Device	Client	Device	Client	Device	Client
Audio													
Audio Streaming	G.711					C	C	C ³	M				
	AAC					C	C		M				
	G726					C	C						
Audio Output Streaming	G.711							C	M				
	AAC							C	C				
Audio Encoder Configuration						C	C	C	C				
Audio Output Configuration								C	C				
PTZ													
PTZ Move	Absolute					C	C	C	M				
	Continuous					C	C	C	M				
	Relative					C	C						
PTZ Presets						C	C	C	C				
PTZ – Home Position						C	C	C	C				
PTZ Configuration						C	C	C	C				
Additional													
Relay Outputs						C	C	C	C				
Auxiliary commands						C	C	C	C				
Focus Control								C	C				
Digital Inputs								C	C				
Configuration of On-Screen Display (OSD)								M	C				
JPEG Snapshot								M	C				
Motion Region Detector Configuration								C	C				
Metadata Configuration						M	C	M	C				
Metadata Streaming								M	C				

³ If supported, Device must support at least one of G.711 and AAC

Features		G		Q		S		T		C		A	
		Release Candidate											
		Device	Client	Device	Client	Device	Client	Device	Client	Device	Client	Device	Client
Recording													
Recording Search		M	M										
Replay Control		M	M										
Recording Control	Using an on-board media source	C	C										
	Using a Receiver as Source	C	C										
	Dynamic Tracks	C	C										
Recording Source Configuration		M	C										
Access													
Access Profiles												M	M
Credential												M	M
Schedule												M	M
System component information	Access points									M	M		
	Doors									M	M		
	Areas									M	M		
Component state	Access points									M	M		
	Doors									M	M		
	Areas									M	M		
Door control										M	M		
Access control decisions										M	M		
Configuration change notification	Access									C	C		
	Doors									C	C		
	Areas									C	C		
Access point control										C	C		
Reset Anti-Pass back Violation												C	C
Special Days Schedule												C	C
Persistent notification storage												C	C

Revision History

Version	Date	Description	
1.0	28. Sep. 2016	ONVIF Profile Feature Overview v.1	André Eichhorn
1.1	10. Feb. 2017	ONVIF logo updated, Profile A RCv1.2: NTP feature added, hyperlinks to specifications updated	Andreas Schneider
2.0	09. Sep. 2017	ONVIF Profile A v1.0 released, Profile T RC v1.0 added, overall review and consolidation of table for clarity	Andrew Downs, André Eichhorn, Andreas Schneider, Fredrik Svensson, Nicolas Brochu, Hiroyuki Sano